




## HERITAGE RANGE




A1/SB




A1




A2




A3



A4



A5



A6

PICTURE SHOWN WITH OPTIONAL  
12 X 12mm SQUARE SOLID  
SECURITY BARS

- Fully welded construction combining quality laser cut corner scrolls with machined solid center spindles.
- Heavy duty 50 x 20mm as standard on all designs.
- Optional security bars available on any of the above designs. (Please specify at time of ordering as (SB).


## PREMIUM RANGE




B




C



D



E



F




G




H



I




J




K

## STANDARD FEATURES


- Conventional 50 x 20mm steel frame.
- Aluminium/Fibreglass wire.
- Heavy duty hinges welded to frame.
- Powder coated paint finish over a Zinc Shield Coated base using high quality Dulux Powders.
- Single point Deadlock with internal snib.
- Fully welded construction combining quality tubular and solid steels.
- All doors are measured, Custom made and installed by experienced Tradespeople.
- We recommend that you consider a "Hot Dip Galvanized" undercoat for additional rust protection. Ask your distributor for further information.




L




M




N




O




P




Q




R




S




T




U



V



W



MT




- All doors can be installed to your existing door jambs. However we recommend that you consider an optional Full Perimeter Steel Outer Frame.



## POWDER COATINGS

We only use & recommend quality Dulux Powders for all our products.


## GRILLE RANGE




X



Y



Z




LSB

- Optional Horizontal Bar to Center of Door. Must be specified at time of order.


## GRILLE RANGE

- Our Grille Range doors are a low cost option if design of door is not an issue.
- Optional Kick Plates also available on all designs.
- Made from quality expanded steel mesh.


## WINDOW GRILLES




G 1  
16 x 16 Outer Tube Frame  
Wire Diameter 5.6mm  
Aperture 100 x 100




G 2  
19 x 19 Outer Tube Frame  
10 x 10 Solid Internals  
Aperture 150 x 200



G 3  
19 x 19 Outer Tube Frame  
Wire Diameter 5mm  
Aperture 50 x 100



G 4  
19 x 19 Outer Tube Frame  
Wire Diameter 5mm  
Aperture 56 x 65



G 5 - 19 x 19mm Outer  
Tube Frame  
12 x 12mm uprights,  
Spear tops.  
20 x 5mm crossbars.

- Custom designed to protect vulnerable areas, or windows left open for ventilation.
- Window Grilles may be integrated with the style of your existing doors and windows.
- All Grilles available in Escape option.

## STEEL SCREEN RANGE



Door Design Shown **SS1**

- Steel Screen is a marine grade 316 Stainless Steel mesh, which offers unparalleled clarity of vision with uncompromised security.
- Steel Screen cannot be slashed with a knife or pierced with a blunt instrument.
- Steel Screen Stainless steel mesh is powder coated black. The perimeter frame can be installed in any colour to create the perfect look for your door & windows.

## LOCK OPTIONS



- All doors are available with a unique three point locking option. This adds strength to your product and is well worth considering.

### **WARRANTY**

There is a 12 Month Warranty on the construction, installation finish & lock (Adjustment due to movement of house frame, insect mesh closers, lock tampering, misuse, and claims due to lack of maintenance are not covered)

## INSECT SCREEN OPTIONS

- STANDARD MESH
- TUFFSCREEN
- LIMITED VISION MESH (DVA)
- MARINE GRADE 316 STAINLESS STEEL MESH  
This offers the ultimate protection

## OTHER OPTIONS

- SIDE PANELS AND PORCH ENCLOSURES
- PET ENTRANCES TO ANY SIZE
- KICK PLATES
- THREE POINT LOCKING MECHANISM
- SATIN CHROME OR BRASS FEATURE HANDLES

Please contact Ashwood Bamboo Blinds and Security Doors on  
(03) 9807 2487 or (03) 9888 2727